SAULT COLLEGE OF APPLIED ARTS AND TECHNOLOGY SAULT STE. MARIE, ONTARIO



COURSE OUTLINE

COURSE TITLE: STRENGTH OF MATERIALS II

CODE NO.: MCH202 SEMESTER: SIX

PROGRAM: MECHANICAL ENGINEERING TECHNOLOGY

AUTHOR: MARK S. SEELER

DATE: JAN 2014 PREVIOUS OUTLINE JAN 2012

DATED:

APPROVED:

"Corey Meunier"

CHAIR DATE

TOTAL CREDITS: FOUR

PREREQUISITE(S): MCH103 - STRENGTH OF MATERIALS

HOURS/WEEK: THREE

Copyright ©2014 The Sault College of Applied Arts & Technology

Reproduction of this document by any means, in whole or in part, without prior written permission of Sault College of Applied Arts & Technology is prohibited.

For additional information, please contact Corey Meunier, Chair School of Technology & Skilled Trades

(705) 759-2554, Ext. 2610

I. COURSE DESCRIPTION:

This course is an extension of MCH103 and will elaborate on concepts from the prerequisite. Concepts that will be covered are shear force and bending moment diagrams in beams, flexure formula, shearing stresses due to bending, design of beams, materials, testing, columns.

II. LEARNING OUTCOMES AND ELEMENTS OF THE PERFORMANCE:

Upon successful completion of this course, the student will demonstrate the ability to:

1. Design Properties of Materials

Potential Elements of the Performance:

- Identify and be able to apply properties of metals for mechanical design applications
- Define and explain important failure modes
- Identify, categorize and apply classifications of metals and alloys
- Identify and describe conditions for steel
- Identify and describe applications for the following materials
 - a) Cast Iron
 - b) Aluminum
 - c) Copper, Brass and Bronze
 - d) Zinc, Magnesium and Titanium
 - e) Non Metals in Engineering Design such as wood, concrete. Plastics and composites

2. Stress Due To Bending

- To learn the statement of the flexure formula and to apply it properly to compute maximum stress due to bending at the outer fibers of the beam
- Compute the stress at any point within the cross section of the beam and to explain the variation of stress with position of the beam
- Understanding of the conditions on the use of the Flexure formula
- Understanding of the concepts that it is necessary to ensure that the beam does not twist under the influence of the bending loads
- Define the neutral axis and understand that is is coincident with the centroidal axis of the cross section of the beam

- Understand the derivation of the flexure formula and the importance of the moment of inertia to bending stress
- Determine the appropriate design stress for use in designing beams
- Design beams to carry a given load safely
- Define and apply the section modulus of the cross section of the beam
- Identify and select standard structural shapes for use as beams
- Understand when it is necessary to use the stress concentration factors in the analysis of stress due to bending and to apply appropriate factors properly
- Define the flexural center and explain its proper use in the analysis of stress due to bending

3. Shearing Stresses in Beams

- Define the conditions under which shearing stresses are created in beams
- Compute the magnitude of shearing stresses in beams by using the general shear formula
- Define and evaluate the statical moment required in the analysis of shearing stresses
- Identify where the maximum shearing stress occurs on the cross section of a beam
- Compute the shearing stress at any point within the cross section of a beam
- Describe the general distribution of shearing stress as a function of position within the cross section of a beam
- Understand the basis for the development of the general shearing stress formula
- Describe four design applications where shearing stresses are likely to be critical in beams
- Develop and use special shear formulae for computing the maximum shearing stress in beams having rectangular or solid circular cross sections
- Understand the development of the approximate relationships for estimating the maximum shearing stress in beams having cross sections with tall thin webs or those with thin walled hollow tubular shapes
- Specify a suitable design shearing stress and apply it to evaluate the acceptability of a given beam design

- Define shear flow and compute its value
- Use the shear flow to evaluate the design of fabricated beam sections held together by nails, bolts, rivets, welding or other means of fastening

4. Deflection in Beams

Potential Elements of the Performance:

- Understand the need for considering beam deflections
- Understand the development of the relationships between the manner of loading and support for a beam and the deflection of the beam
- Graphically show the relationships among the load, shearing force, bending moment, slope, and deflection curves for beams
- Develop formulae for the deflection of beams for certain cases using the successive integration approach
- Apply the method of successive integration to beams having a variety of loading and support conditions
- Use the standard formulae to compute the deflection of beams at selected points
- Use the principle of superposition along with standard formulae to solve problems of greater complexity
- Use the moment-area method to solve for the slope and deflection or beams

5. Combined Stress and Mohr's Circle

- Recognize cases for which combined stress occurs
- Represent the stress condition on a stress element
- Understand the development of the equations for combined stresses, from which you can compute the following
 - a) the maximum and minimal principle stresses
 - b) the orientation of the principle stress element
 - c) the maximum shear stress on an element
 - d) the orientation of the maximum shear stress element
 - e) the normal stress that acts along with the maximum shear stress
 - f) the normal and shear stress that occurs on the element oriented in any way
- Construct and apply Mohr's circle for biaxial stress
- Interpret the information available from Mohr's circle for the stress condition at a point in any orientation
- Use the data from the Mohr's circle to draw the principal stess element and the maximum shear stress element

- Compute the combined normal stress resulting from the application of bending stress with either direct tensile or compressive stresses using the principle of superposition
- Recognize the importance of visualizing the stress distribution over the cross section of a load-carrying member and considering the stress condition at a point
- Recognize the importance of free-body diagrams of components of structures and mechanisms in the analysis of combined stresses
- Evaluate the Design factor for combined normal stress
- Optimize the shape and dimensions of a load-carrying member relative to the variation stress in the member and its strength properties
- Analyze members subjected to combined bending and torsion only by computing the resulting maximum shear stress

6. Columns

- Define Column
- Differentiate between a column and a short compression member
- Describe the phenomenon of buckling, also known as elastic instability
- Define radius of gyration for the cross section of a column and be able to compute its magnitude
- Understand the a column is expected to buckle about the axis for which the radius of gyration is the minimum
- Define end-fixity factor, K.
- Specify the appropriate value of the end fixity factor, K, depending on the manner of supporting the ends of the column
- Define effective length, L
- Define slenderness ration and compute its value
- Define transition slenderness ratio, also called the column constant, C, and compute its value
- Use the values for the slenderness ratio and the column constant to determine when the column is long or short
- Use the Euler formula for computing the critical buckling load for long columns
- Use the J.B. Johnson formula for computing the critical buckling load for short columns

- Apply a design factor to the critical buckling load to determine the allowable load on a column
- Recognize efficient shapes for column cross sections
- Design columns to safely carry given axial compression loads

III. TOPICS:

- 1. Design Properties of Materials
- 2. Stress Due to Bending
- 3. Shearing Stresses in Beams
- 4. Deflection of Beams
- 5. Combined Stress and Mohr's Circle
- 6. Columns

IV. REQUIRED RESOURCES/TEXTS/MATERIALS:

Mott, Robert L., Applied Strength of Materials, 5th Ed., Prentice Hall, ISBN 0-13-043415-9

Material not covered in the above manual will be provided.

V. EVALUATION PROCESS/GRADING SYSTEM:

Type of	Duration	Mark	Topics
Grading		Breakdown	
Quizzes Homework and Attendance	6*0.25 hours	25%	All course material
Mid Term Tests (2)	3.0 hours	25%	Design Properties of Materials,
	1.5 hours	15%	Stress Due to Bending, Shearing Stresses in Beams, Combined Stress and Mohr's Circle
Final Exam	2.0 hours	35%	All Course Material

Grade Point

The following semester grades will be assigned to students:

Grade	<u>Definition</u>	Equivalent	
A+ A	90 – 100% 80 – 89%	4.00	
В	70 - 79%	3.00	
С	60 - 69%	2.00	
D	50 – 59%	1.00	
F (Fail)	49% and below	0.00	
CR (Credit)	Credit for diploma requirements has been awarded.		
S	Satisfactory achievement in field /clinical		
U	placement or non-graded subject area. Unsatisfactory achievement in		
	field/clinical placement or non-graded subject area.		
X	A temporary grade limited to situations		
	with extenuating circumstances giving a student additional time to complete the		
NR W	requirements for a course. Grade not reported to Registrar's office. Student has withdrawn from the course without academic penalty.		

VI. SPECIAL NOTES:

Attendance:

Sault College is committed to student success. There is a direct correlation between academic performance and class attendance; therefore, for the benefit of all its constituents, all students are encouraged to attend all of their scheduled learning and evaluation sessions. This implies arriving on time and remaining for the duration of the scheduled session.

VII. COURSE OUTLINE ADDENDUM:

The provisions contained in the addendum located on the portal form part of this course outline.

APPENDIX



MECHANICAL ENGINEERING TECHNOLOGY - 4043 Strength of Materials II - MCH202

DISTRIBUTION OF HOURS

Sequence/Type	Topics	# of
		Hours
Lecture	Design Properties of Materials	6
Lecture	Stress due to Bending	6
Lecture	Shearing Stresses in Beams	6
Review Lab		3
Mid Term Test-1		3
Lecture	Deflection of Beams	6
Lecture	Combined Stress and Mohr's Circle	4.5
Mid Term Test-2		1.5
Lecture	Columns	6
Final Exam		3
	Sub-Totals	
	Lectures	37.5
	Reading Week	3
	Testing	7.5
	TOTAL	48
	HOURS	40



MECHANICAL ENGINEERING TECHNOLOGY - 4043

Strength of Materials II - MCH202

COURSE PLAN – Applied Strength of Materials, 2nd Edition, Mott)

Week/Hours	Topic/Chapter	Concepts Covered	
Week 1/2 – 6	Chapter #2: Design	Design Properties of Materials	
hours of	Properties of	1. Metals in Mechanical Design and their properties	
lecture	Materials	2. Failure Modes	
		3. Classification of Metals and Alloys	
		4. Conditions for Steels	
		5. Cast Iron	
		6. Aluminum	
		7. Copper, Brass and Bronze	
		8. Zinc, Magnesium and Titanium	
		9. Non-Metals in Engineering Design: Wood, Concrete,	
		Plastics, Composites	
Week 3/4-6	Chapter 7: Stress	Stress Due to Bending	
Hours of	Due to Bending	1. The Flexure Formula	
Lecture		2. Conditions on the Use of the Flexure Formula	
		3. Derivation of the Flexure Formula	
		4. Applications – Beam Analysis	
		5. Applications – Beam Design	
		6. Stress Concentrations	
		7. Flexural Center	
Week 5/6-6	Chapter 8: Stress	Shearing Stresses in Beams	
hours of	Analysis	1. Visualization of Shearing Stress in Beams	
Lecture and		2. Importance of Shearing Stresses in Beams	
review		3. The General Shear Formula	
		4. Use of The General Shear Formula	
		5. Distribution of Shearing Stress in Beams	
		6. Development of the General Shear Formula7. Special Shear Formulas	
		8. Design Shear Stress	
		9. Shear Flow	
		J. SHEALTIOW	
Week 7 – 3 Hours of Review			

Week 8 – 3 Hour Midtern Test-1		
Week 9/10/11	Chapter 9:	Deflection of Beams
6 Hours of Lecture and	Deflection of Beams	1. Definition of Terms
Reading Week		2. Statically Indeterminate Beams
		3. Basic Principles for Beam Deflection
		4. Successive Integration Method
		5. The Formula Method
		6. Superposition Using Deflection Formulas7. Moment-Area Method
		8. Applications of Moment-Area Method
		9. Beams with Distributed Loads
		9. Bealis with distributed Loads
Week 12/13-	Chapter 10:	Combined Stress and Mohr's Circle
4.5 hours of	Combined Stress	1. The Stress Element
Lecture	and Mohr's Circle	2. Stress Distribution Created by Basic Stresses
		3. Creating the Initial Stress Element
		4. Equations for Stresses in any Direction
		5. Principle Stresses
		6. Maximum Shear Stress
		7. Mohr's Circle for Stress
		8. Examples of the Use of Mohr's Circle
		9. Stress Conditions on Selected Planes10. Maximum Shear Stress Theory
		11. Combined Normal Stresses
		12. Combined Normal and Shear Stresses
Week 13 – 1.5		
Hours of Mid- Term Test-2		
Week 14/15 –	Chapter 11:	<u>Columns</u>
6 hours of Lecture	Columns	1. Slenderness Ratio
Lecture		2. Transition Slenderness Ratio
		3. Euler Formula for Long Columns
		4. Formula for Short Columns
		5. Design Factors for Columns and Allowable Loads
		6. Method of Analyzing Columns
		7. Efficient Shapes for Column Cross Sections
		8. Specifications
Week 16 – 3		
Final Exam		