SAULT COLLEGE OF APPLIED ARTS & TECHNOLOGY

SAULT STE. MARIE, ONTARIO Designed pollution and to ways of describing describing and quantifying these effects in the field

COURSE OUTLINE

COURSE TITLE:	WATER POLLUTION - THEORY
CODE NO.:	BIO 123-3 II, V SEMESTER:
PROGRAM:	WATER RESOURCES/ENVIRONMENTAL ENGINEERING/ PULP & PAPER TECHNOLOGY
AUTHOR:	H. ROBBINS
AUGUS	NEW PREVIOUS OUTLINE DATED:
	to beache the changes in macroimentabrates, bacteria, algae and fish a eutrophy and explain the use of biological accessment method in pollution.
APPROVED:	DEAN Dept. 03(95
	leading to today's poliution patterns in the region.
	2. Describe the trends in nutrient pollution in the Great Lakes.

-2-

BIO 123-3

COURSE NAME

COURSE NUMBER

PREREQUISITE: AQUATIC BIOLOGY 125-3

I. PHILOSOPHY/GOALS:

This is a course designed to provide an introduction to the biological effects of water pollution and to ways of detecting, describing and quantifying these effects in the field and the laboratory. Types and sources of pollution, sampling strategies and legislation governing water quality will be discussed. On successful completion of the course the student will be comfortable in reading and understanding non-scientific literature on various aspects of water pollution and environmental concern.

II. STUDENT PERFORMANCE OBJECTIVES:

Upon successful completion of this course the student will be able to:

- 1. Define pollution and discuss its complexity in aquatic ecosystems.
- 2. Describe and discuss the physical, biological and ecological relationships in lentic versus lotic environments.
- 3. List and discuss the categories of water pollution and the impact on aquatic systems of various types of pollutants.
- 4. List and discuss the major sources of water pollution.
- 5. Explain acceptable levels of pollutants, how they are monitored and the significance of abnormal values in natural waters.
- 6. Outline the procedure for setting up a bioassay and discuss the determination of LC50's, ET50's and toxicity curves.
- 7. Describe the changes in macroinvertebrates, bacteria, algae and fish with increasing eutrophy and explain the use of biological assessment method in monitoring pollution.
- 8. Demonstrate the use of various biotic and diversity indices to assess water quality.
- 9. Discuss the objectives and testing procedures of drinking and bathing waters.
- 10. Describe the historical development of the Great Lakes Basin and its significance in leading to today's pollution patterns in the region.
- 11. Relate the areas of concern in Canadian waters to land-use patterns and industrial activity.
- 12. Describe the trends in nutrient pollution in the Great Lakes.

COURSE NAME

BIO 123-3

COURSE NUMBER

II. STUDENT PERFORMANCE OBJECTIVES:

- 13. Describe the major exotic species and the impact of their introductions on the Great Lakes ecosystem.
- 14. Describe the role of atmospheric deposition in Great Lakes pollution.
- 15. Describe the trends/changes in levels of pollution of toxic substances in the Great Lakes and explain the responses of governments and citizen groups to these.
- 16. Discuss compliance monitoring and enforcement of environmental laws and regulations to protect water quality in Ontario.
- 17. Research a topic and make an oral presentation on an environmental contaminant or introduced species.
- 18. Describe the legal responsibilities/rights of a person working in a field that may affect the environment.
- 19. Describe the latest trends in environmental risk management.
- 20. At the end of the course, competently read non-scientific literature on the subject of water pollution.

III. TOPICS TO BE COVERED:

WEEK

- 1 * UNIT 1 POLLUTION AND ECOLOGICAL RELATIONSHIPS
 - scope and purpose of this course
 - pollution and types of pollutants
 - ecological relationships
 - ecosystems
 - food chains
 - ecological efficiency and energy transfer
 - nutrient cycling
 - ecological pyramids
 - bioaccumulation and biomagnification
 - * Units correspond to those in the Study Guide.

-3-

COURSE NAME

BIO 123-3

COURSE NUMBER

III. TOPICS TO BE COVERED:

WEEK

2–3	UNIT 2	FRESHWATER SYSTEMS	
		 natural factors affecting aquatic ecosystems characteristics of water 	
		 polarity dissociation coefficient density 	
		 specific heat viscosity 	
		 surface tension limnology lotic systems 	
		aging and turner of lakes	
		 – carbon dioxide and nutrient levels – lotic systems 	
		 fluctuations in flow light penetration and primary production temperature patterns oxygen and carbon dioxide levels 	
		- nutrient levels	
46	UNIT 3	TYPES AND SOURCES OF POLLUTANTS	
		 the complexity of pollution plant/animal nutrients nitrogen phosphorous 	
		 biochemical/chemical oxygen demand acids acid deposition acid mine drainage heavy metals 	
		- mercury, lead, cadmium, aluminum	
		mespond to those in the Study Guida.	

COURSE NAME

BIO 123-3

COURSE NUMBER

III. TOPICS TO BE COVERED:

WEEK

TYPES AND SOURCES OF POLLUTANTS (continued) UNIT 3 4-6

- radioactivity
- petroleum products
- artificial compounds
 - pesticidesherbicides

 - fungicides
 - insecticides
 - synthetic industrial contaminants
- thermal pollution
- exotic species
- removal of renewable and non-renewable resources
- physical alteration
- pathogenic materials

7-8 UNIT 4 THE MONITORING OF POLLUTION - PHYSICOCHEMICAL MEASUREMENTS AND TOXICOLOGY

- establishing a basis of comparison
- physicochemical measurements
 - dissolved oxygen
 - temperature
 - total suspended solids
 - total dissolved solids
 - alkalinity
 - hardness
 - hydrogen ion concentration (pH)
 - free carbon dioxide
 - metals
 - nutrients
- water quality indicators
- environmental toxicology
 - degree of toxicity
 - bioassays
- student presentation on a selected pollutant

-5-

COURSE NAME

III. TOPICS TO BE COVERED:

WEEK

9-10 UNIT 5 THE MONITORING OF POLLUTION-POPULATIONS AND ECOSYSTEMS

- biomonitoring
- biological assessment of water quality
 - sampling procedures
 - sampling design
 - choice of organisms
 - fish
 - macrophytes
 - algae and blue-greens
 - macro-invertebrates
 - biotic indices
 - diversity indices
 - bacteria

11–14 UNIT 6 THE GREAT LAKES – SUMMARY OF A CASE STUDY

Additional Reference: <u>Toxic Chemicals in the Great Lakes and</u> <u>Associated Effects</u>

- The Great Lakes Basin
 - historical overview
 - present patterns of land use
 - legacy of pollutants
 - toxic chemicals
 - nutrient pollution
 - metals
 - radioactivity
 - petroleum
 - thermal pollution
 - exotic species
 - physical change
 - pathogens
 - trends in discharge levels
 - agriculture
 - ground water supplies
 - pulp and paper
 - metal processing/finishing
 - chemical industries
 - power generation
 - atmospheric deposition
 - sediment loadings
 - government action and policy
 - early government actions
 - public involvement

BIO 123-3

COURSE NUMBER

BIO 123-3

COURSE NAME

COURSE NUMBER

III. TOPICS TO BE COVERED:

WEEK

INTRODUCTION TO LEGAL RESPONSIBILITIES AND LATEST TRENDS UNIT 7 15 IN WATER POLLUTION

- Legal Responsibilities
 - MOEE
 - legislation and regulations
 - legal responsibilities/rights of employees and citizens
 - environmental risk management
- trends in Water pollution

NOTE: SCHEDULE SUBJECT TO CHANGE

IV. EVALUATION METHODS:

Oral Presentation:	20 marks	85% and over	- A+
Participation and assignments:	10 marks	76%	- A
Term Tests (3):	70 marks	68%	– B
		60%	- C

100 marks

Under 60% - R

Students with a final grade of less than 60% will receive an "R" grade. All students must complete the oral presentation satisfactorily for a passing grade. Late assignments will receive a deduction of 10% per day late. Deadlines for these will be discussed on line with students prior to their being set.

ATTENDANCE:

Students are expected to participate actively in the course discussions to the extent their work schedules will permit.

V. REQUIRED STUDENT RESOURCES: (from Campus Bookstore)

BOOKS:

- 1. Water Pollution - Theory, B10123 Study Guide 1995
- 2. Environment Canada, Department of Fisheries and Oceans and Health and Welfare Canada, 1991 Toxic Chemicals in the Great Lakes and Associated Effects - Synopsis. Government of Canada, Ottawa, 51 p.

-7-

BIO 123-3

COURSE NAME

COURSE NUMBER

V. REQUIRED STUDENT RESOURCES: (from Campus Bookstore) Cont'd.

OPTIONAL PURCHASES:

Andrews, W.A. (ed.) 1972. <u>A Guide to the Study of Environmental Pollution</u>. Prentice-Hall Inc., Englewood Cliffs. 260 p.

Colborn, Theodora E. et al 1990. <u>Great Lakes, Great Legacy</u>? The Conservation Foundation and the Institute for Research on Public Policy, Washington and Ottawa, 301 p.

Laws, E.A. 1993. <u>Aquatic Pollution: An Introductory Text</u>. 2nd Edition. John Wiley & Sons Inc., Toronto. 611 pages.

Mason, C.F., 1981. Biology of Freshwater Pollution. Longman Group Ltd., New York.

VI. ADDITIONAL RESOURCE MATERIAL AVAILABLE IN THE COLLEGE LIBRARY:

Adams, S. Marshall (ed.) 1990. Biological Indicators of Stress in Fish. American Fisheries Society Symposium 8. AFS. Bethesda, Maryland QL 639.1B55 1990

Alabaster, J.S. and R. Lloyd. 1982 Water Criteria for Freshwater Fish (2nd Edition). Butterworth's Inc., Yarmouth MA.

*American Public Health Association, American Water Works Association, and Water Pollution Control Federation, 1975, Standard Methods for the Examination of Water and Wastewater. 14th ed. Am. Publ. Health Assoc., Washington, D.C.

*American Society for Testing and Materials. 1977. Bacterial Indicators - Health Hazards Associated with Water. ASTM, Phil.

*American Society for Testing and Material. 1977. Aquatic Toxicology and Hazard Evaluation. ASTM, Philadelphia.

Ashworth, W. 1989. The Late, Great Lakes: An Environmental History. Collins Publ., Stockton, California. QH 545.A1 A57 1989

Black, John A. 1977. Water Pollution Technology. Reston Publishing Company, Inc. Virginia.

Brewer, Richard. 1979. Principles of Ecology. Saunders, Philadelphia

Brown, Lester Russell. 1988. State of the Word: A Worldwatch Institution Report on Progress Toward a Sustainable Society. W. W. Norton, New York -9-

Water Pollution

BIO 123-3

COURSE NAME

COURSE NUMBER

VI. ADDITIONAL RESOURCE MATERIAL - 2

Burns, Noel M. 1985. Erie: The Lake that Survived. Rowman & Allanheld Pub., Totowa, N.J.

*Cairns, John Jr. 1982. Biological Monitoring in Water Pollution. Pergamon.

Cairns, V.W., Hodson, Peter V. and Nriagu, J.O. 1984. Contaminant Effects on Fisheries. John Wiley & Sons, New York.

Chant, D. A. 1970. Pollution Probe. New Press, Toronto.

Colborn, Theodora E. 1990. Great Lakes, Great Legacy? Conservation Foundation and Institute for Research on Public Policy in Canada. Halifax, N.S. TD 181.G73 G73 1990

Delwiche, C.C. 1981. Denitrification, Nitrification and Atmospheric Nitrous Oxide. Wiley, New York

Edmondson, W. T. (1969). Eutrophication in North America. In – Eutrophication – Causes, Consequences, Correctives. pp. 124–49. National Academy of Sciences, Washington.

Environment Canada 1986. From Cradle to Grave. A Management Approach to Chemicals. Ministry of Supply & Services Ottawa. TD 196.C45T38 1986

Environmental Protection Agency. 198_. Water Quality Criteria. E.P.A. R3-73-033. Washington, D.C.

*Environmental Studies Board. 1983. Committee on Atmospheric Transport and Chemical Transformation in Acid Precipitation. Acid Deposition: Atmospheric Processes in Eastern North America. National Academy Press, Washington, D.C.

Evans, M. S. (ed). 1988. Toxic Contaminants and Ecosystem Health: A Great Lakes Focus. John Wiley and Sons, N.Y. TD180.A38V.21

Freeman, A.M., Robert Haveman and Allen Kneese. 1984. The Economics of Environmental Policy. R.E. Krieger Publishing Co., Inc., Florida

*Goldman, Charles R. and A. J. Horne. 1983. Limnology. McGraw-Hill, Toronto.

*Gordon, Malcolm S. 1982. Animal Physiology: Principles and Adaptations (4th edition). MacMillan Publishing Co., Inc. New York.

Gore, James A. 1985. The Restoration of Rivers and Streams: Theories and Experience. Butterworth Publishing Co., Boston

BIO 123-3

Water Pollution

COURSE NAME

COURSE NUMBER

ADDITIONAL RESOURCE MATERIAL - 3

Hammer, Mark J., 1986. Water and Wastewater Technology. John Wiley and Son Inc., New York.

Heath, Alan G. 1987. Water Pollution and Fish Physiology. CRC Press Inc., Boca Raton, Florida. SH174.H43 1987

*Hoar, W. S. 1983. General and Comparative Physiology (3rd Edition). Prentice-Hall, Inc., New Jersey.

Hoar, W. S., and D.J. Randall, (eds.). 1979. Fish Physiology. Vol.7: Locomotion Academic Press, Inc., London.

*Hoar, W.S., D.J. Randall and J.R. Brett (eds). 1979. Fish Physiology. Vol.8: Bioenergetics and Growth. Academic Press, Inc., London.

Hocutt, Charles H. and Jay R. Stauffer Jr. (eds). 1980. Biological Monitoring of Fish. Lexington Books, Lexington, Mass.

Huntley, R.V. and R.Z. Rivers (eds). 1986. Proceedings of the Acid Rain Evaluation Seminar. Dept. of Fisheries and Oceans, Ottawa.

*Hynes, H. B. N. 1970. The Ecology of Running Waters. University Toronto Press, Toronto.

_____. 1974. The Biology of Polluted Waters. University Toronto Press, Toronto.

Isom, Billy G., S.D. Dennis, J.M. Bates. 1986. Impact of Acid Rain and Deposition on Aquatic Biological System. ASTM, Philadelphia.

Johnson, Raymond E. 1982. Acid Rain/Fisheries: Proceedings of an International Symposium on Acidic Precipitation and Fishery Impacts in Northeastern North America, Cornell University, Ithaca, New York, August 2–5, 1981. American Fisheries Assoc., Bethesda, Md.

Kimball, John W. 1978. Biology. 4th Ed. Addison-Wesley, Don Mils, Toronto.

*Krenkel, P.A. and Parker, F.L. 1973. Nation Symposium on Thermal Pollution Proceedings: Biological Aspects of Thermal Pollution.

*Larkin, P.A. 1974. Freshwater Pollution Canadian Style. McGill-Queen's University Press, Montreal.

*Laws, Edward A. 1993. Aquatic Pollution – An Introductory Text. 2nd Ed. John Wiley and Sons, Toronto.

-10-

BIO 123-3

COURSE NAME

COURSE NUMBER

ADDITIONAL RESOURCE MATERIAL - 4

Mason, C. F. 1981. Biology of Freshwater Pollution. Longman.

McKane, L. and Kandel J., 1985. Micro-Biology Essentials and Applications. McGraw-Hill Book Co., Toronto.

*McNeely, R. N., V. P. Neimanis and L. Dwyer. 1979. Water Quality Sourcebook Guide to Water Quality Parameters. Environment Canada, Inland Waters Directorate, Water Quality Branch, Ottawa.

McPhee, John 1989. The Control of Nature. Strauss, Farrar and Giroux, N.Y.

Minns, Charles Kenneth 1986. Project Quinte: point-source phosphorus control and ecosystem response in the Bay of Quinte, Lake Ontario. Cdn. Special Publication of Fisheries and Aquatic Sciences. Dept. of Fisheries & Oceans, Ottawa TD227.06 P73

Misener, A. D. and G. Daniel (eds.) 1982. Decisions for the Great Lakes. Great Lakes Tomorrow, Hiram, Ohio.

Morgan, James and Werner Stum. 1981. Aquatic Chemistry: An Introduction Emphasizing Chemical Equilibrium in Natural Waters. Wiley, New York

Murty, A.S. 1986. Toxicity of Pesticides to Fish. CRC Press. Bocaratoni, FLA.

*National Research Council of Canada. 1985. TFM and Bayer 73: Lampricides in the Equatic Environment. Pub. No. NRCC 22488, Ottawa.

Owen, O.S. 1985. Natural Resources Conservation - An Ecological Approach. MacMillan, New York

Palmer, C. Mervin. 1980. Algae and Water Pollution. Castle House Publications, Ltd., England.

Pavoni, J.L., 1977. Handbook of Water Quality Management Planning. Van Nostrand Reinhold Co., Litton Educational Publishing Inc., New York.

Pickering, A.D. 1981. Stress and Fish. Academic Press, San Diego, California. QL639.1 S74 1981

Rand, Gary M and Sam, R. 1985. Fundaments of Aquatic Toxicology; Methods and Applications. Hemisphere Publications, Washington.

*Reid, George K. 1961. Ecology of Inland Waters and Estuaries. Van Nostrand Reinhold Co., Toronto.

*Ruttner, F. 1963. Fundamentals of Limnology. University of Toronto Press, Toronto.

BIO 123-3

Water Pollution

COURSE NAME

COURSE NUMBER

ADDITIONAL RESOURCE MATERIAL - 5

Salle, A.J., 1967, Fundamental Principles of Bacteriology. 6th edition, McGraw-Hill Book Co., Toronto.

Schmidtke, N. W. 1986. Toxic Contamination in Large Lakes. World Conference on Large Lakes. Lewis Publishers QH545.W3 W67 1986

Shubert, Elliot L. 1984. Algae as Ecological Indicators. Academic Press, San Diego, California. QK 565.A46 1984

*Smith, R. L. 1974. Ecology and Field Biology. Harper and Row Publishers, New York.

*Sprague, J. B. 1973. The ABC's of pollution bioassay using fish. Biological Methods for the Assessment of Water Quality, ASTM STP 528, American Society for Testing and Materials, 1973, pp. 6–30. (Reprint available)

Suffet, Irwin H. 1977. Fate of Pollutants in the Air and Water Environments. Wiley, New York.

Tinsley, Ian J. 1979. Chemical Concepts in Pollution Behaviour. Wiley Interscience, New York.

Tourbier, J. and R. W. Pierson, Jr. (eds.). 1976. Biological Control of Water Pollution. University of Pennsylvania Press, Inc., PA.

Tu, Anthony T. (ed). 1982. Survey of Comtemporary Toxicology, Vol. 2. Wiley, New York.

Vallentyne, J. R. 1974. The Algae Bowl. Lakes and Man. Canada Department of the Environment, Fish and Marine Service, Misc. Spec. Pub. No. 22: 186 pp.

Viessman, W.Jr. and M.J. Hammer. 1985 Water Supply and Pollution Control. Harper and Row, Publishers, New York.

Wagner R. H., 1971. Environment and Man. Norton, New York.

Warren, C. E. 1971. Biology and Water Pollution Control. Saunders, Philadelphia.

Wetzel, Robert G. 1983. Limnology (2nd Edition). Saunders. College Publishing, Toronto.

Wetzel, R. G., and G. E. Likens, 1979. Limnological Analyses. Saunders, Philadelphia.

*Wilber, Charles G. 1969. The Biological Aspects of Water Pollution. Charles C. Thomas. Illinois.

*Worf, D. L. 1980. Biological Monitoring for Environmental Effects. Lexington Books, San Diego, CA

-12-

-13-

Water Pollution

BIO 123-3

COURSE NUMBER

COURSE NAME

PRESENTATION TOPICS

Students are required to deliver an oral presentation of approximately 10 minutes on a scheduled date. Presentations will include visual aids as well as oral material delivered by each student. Term Test #3 will include information from students' presentations. The following topics are available for presentation:

- NOTE: Relate your topic to <u>water</u> pollution and select a topic that is not too general. For example "2,4D" would be a suitable topic but "herbicides" would not because it is too general.
 - 1. Mercury
 - 2. Polychlorinated biphenyls (PCB's)
 - 3. Oil
 - 4. Insecticides (DDT, Dieldrin, Toxaphene, Lindane)
 - 5. Absorbable Organic Halogen (AOX)
 - 6. Waste heat, (thermal pollution)
 - 7. Nuclear pollution (radioactive waste)
 - 8. Dioxin (2,3,7,8-TCDD), Furan (2, 3, 7, 8 TCDF)
 - 9. Herbicides (2,4D; Glyphosphate; Hexazinone)
 - 10. Detergents
 - 11. Acid rain
 - 12. Mirex
 - 13. Water-borne pathogens
 - 14. Food Processing Wastes
 - 15. Alkylated lead
 - 16. Acid mine drainage

-14-

Water Pollution

COURSE NAME

BIO 123-3

COURSE NUMBER

- 17. Hexachlorobenzene (HCB)
- 18. Zebra mussels
- 19. Polynuclear aromatic hydrocarbons (PAHs)
- 20. Sea lamprey
- 21. Purple loosestrife

NOTE: INCLUDE IN EACH PRESENTATION:

- 1. Description of the pollutant.
- 2. Sources of the pollutant (natural, man-caused).
- 3. The effect of the pollutant on the <u>aquatic</u> environment (both biotic and abiotic).
- 4. The water quality guidelines (standards) for the pollutant.
- 5. Any pertinent incidents* involving the pollutant.
- 6. Clean up/Controls (if applicable).

*Canadian incidents if possible

Each student is responsible for producing a typed abstract (summary) of information presented, diagrams necessary to aid in your verbal presentation, as well as a list of references used. This is to be Fax'd to your instructor at least 10 days in advance of your presentation day.

Copies of each presentation summary and diagrams will be produced (by instructor) for all students, and sent out prior to each presentation.

<u>NOTE:</u> You cannot Fax materials in pencil. Please ensure everything is in black ink prior to transmission.

COURSE NAME

BIO 123-3

COURSE NUMBER

References Cited

presented on a separate page at end of report,

<u>all</u> citations in text of report must be listed alphabetically in this section and conversely all references listed in this section must be cited in the text of the report.

e.g.

1) For paper presented in a journal:

Mason, C. F. and R. J. Bryant. 1974. The structure and diversity of the animal communities in a broad land reed-swamp, J. Zool., 172, 289-309.

issue no. page reference

2) For book references:

Hynes, H. B. N., 1970. The Ecology of Running Waters, Liverpool University Press, Liverpool.

3) For paper/chapter presented in publication:

Chapman, D.W. 1978. Production fish populations. In Ecology of Freshwater Fish Production (S. D. Gerking, ed.). Blackwell. Oxford.

See previous list of references for other examples.

COURSE NAME

-16-

BIO 123-3

COURSE NUMBER

ACRONYMS

ADI	Acceptable Daily Intake: The dose that is anticipated to be without risk to humans when taken daily. It is not assumed that this dose guarantees absolute safety. The determination of the ADI is often based on the application of laboratory animal toxicity data concerning chronic (long-term) doses to the environmental doses to which humans are exposed.		
<u>AOC(s)</u>	Areas of Concern: Geographic locations recognized by the International Joint Commission where water, sediment or fish quality are degraded, and the objectives of the Great Lakes Water Quality Agreement of local environmental standards are not being achieved.		
BaP	Benzo-a-pyrene		
BAT	Best Available Technology/Treatment		
BATEA	Best Available Technology/Treatment Economically Achievable		
<u>BCF</u>	Bioconcentration Factor; the ratio of the concentration of a particular substance in an organism to concentration in water.		
BCT	Best Conventional Technology/Treatment		
BEJ	Best Engineering Judgement		
BHC	Benzene Hexachloride or Hexachlorocyclohexane. There are three isomers; alpha, beta, and gamma. Gamma-BHC is the insecticide lindane.		
BOD	Biochemical Oxygen Demand: The amount of dissolved oxygen consumed during the decomposition of organic nutrients in water during a controlled period and temperature.		
BMP	Best Management Practices		
BPAC	Binational Public Advisory Committee		
BPJ	Best Professional Judgement		
BPT	Best Practical Treatment		

COURSE NAME

COURSE M

BIO 123-3

COURSE NUMBER

CANUSLAK	<u>SLAK</u> (related to joint spill agreement)		
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act		
CFR	Code of Federal Regulations		
<u>COA</u>	Canada-Ontario Agreement Respecting Water Quality in the Great Lakes		
<u>COD</u>	Chemical Oxygen Demand: The amount of oxygen required to oxidize completely by chemical reagents the oxidizable compounds in an environmental sample.		
<u>CofA</u>	Certificate of Approval		
CMR	Critical Materials Register		
<u>CSO</u>	Combined Sewer Overflow; combined storm and sanitary sewer systems.		
CWA	Clean Water Act		
DCB	Dichlorobenzene		
DDD	A natural breakdown product of DDT.		
DDE	Dichlorodiphenyldichloroethylene. A natural breakdown product DDT.		
DDT	Dichlorodiphenyltrichloroethane: A widely used, very persistent chlorinated pesticide (now banned from production and use in many countries).		
DFO	Department of Fisheries and Oceans (Canada)		
DMR	Discharge Monitoring Report		
DOA	Department of Agriculture (Canada)		
DOE/EC	Department of Environment/Environment Canada		

-17-

-18-

Water Pollution

BIO 123-3

COURSE NAME

COURSE NUMBER

- <u>EC-50</u> Effective concentration of a substance producing a defined response in 50% of a test population. The higher the EC-50, the less effective the substance is because it requires more material to elicit the desired response.
- EMS Enforcement Management System
- EP Extraction Procedure

EP/OR Environmental Protection, Ontario Region, Environment Canada

EPA United States Environmental Protection Agency

- FDA Food and Drug Administration
- <u>GLISP</u> Great Lakes International Surveillance Plan. It provides monitoring and surveillance guidance to U.S. and Canadian agencies responsible for implementing the provisions of the GIWQA that include general surveillance and research needs as well as monitoring for results of remedial actions.
- GLWQA Great Lakes Water Quality Agreement
- HCB Hexachlorobenzene
- HCBD Hexachlorobutadiene
- HCE Hexachloroethane
- HWC Health and Welfare Canada
- IJC International Joint Commission: A binational organization established in 1909 by the Boundary Waters Treaty. Through the IJC, Canada and the United States cooperatively resolve problems along their common border, including water and air pollution, lake levels, power generation and other issues of mutual concern.
- IPP Industrial Pretreatment Program

Water Pollution		BIO 123-3	
COURSE NAME	COURSE HUMP	COURSE NUMBER	
LAMP	Lakewide Management Plan		
<u>LC</u> ₅₀	Lethal concentration (by volume) of 50% of the test organism over a sthe less toxic it is because it take	of a toxicant or effluent which specified time period. The hig s more toxicant to elicit the s	is lethal to ther the LC ₅₀ , ame response.
LD ₅₀	Lethal dose which is lethal to 50% period. The higher the LD 50, the toxicant to elicit the same response	less toxic it is because it take	
MCL	Maximum Contaminant Level		
MCLG	Maximum Contaminant Level Goa		
MDNR	Michigan Department of Natural	Resources	
MDPH	Michigan Department of Public H	ealth	
MERA	Michigan Environmental Response	Act	
MISA	Municipal–Industrial Strategy for program is the virtual elimination surface waters in Ontario.		
MGD	Million Gallons Per Day		
MSP	Michigan State Police		
NCP	National Oil and Hazardous Subs	tances Pollution Contingency I	Plan
NOAA	National Oceanic and Atmospheri	c Administration	
<u>NPDES</u>	National Pollutant Discharge Elin municipal and industrial discharge	nination System; a permit sys es, administered by U.S.EPA a	stem limiting and the states.
NPDWR	National Primary Drinking Water	Regulation	
NPS	Nonpoint Source		
<u>NSPS</u>	New Source Performance Standa	rds	
NTU	Nephelometric Turbidity Unit		

-19-

-20-

Water Pollution

COURSE NAME

BIO 123-3

COURSE NUMBER

OCS Octachlorostyrene OMNR Ontario Ministry of Natural Resources OMOE Ontario Ministry of the Environment/Environment Ontario PAH Polynuclear Aromatic Hydrocarbons, also known as Polycyclic Aromatic Hydrocarbons or Polyaromatic Hydrocarbons. Aromatic Hydrocarbons composed of at least 2 fused benzene rings, many of which are potential or suspected carcinogens. PBB Polybromated biphenyl; used primarily as a fire retardant. PCB Polychlorinated biphenyls; a class of persistent organic chemicals with a potential to bioaccumulate and suspected carcinogens; a family of chemically inert compounds, having the properties of low flammability and volatility and high electric insulation quality. Past applications include use as hydraulic fluids, heat exchange and dielectric fluids; plasticizers for plastics. PEAS Pollution Emergency Alert System pH The negative power to the base 10 of the hydrogen ion concentration. A measure of acidity or alkalinity of water on a scale from 0 to 14; 7 is neutral; low numbers indicate acidic conditions, high numbers, alkaline. PL Public Law POTW Publicly Owned Treatment Works PTS Persistent Toxic Substance: Any toxic substance with a half-life in water of greater than eight weeks. PWQO Provincial Water Quality Objectives QCB Pentachlorobenzene RAP Remedial Action Plan RCRA Resource Conservation and Recovery Act

BIO 123-3

COURSE NAME

COURSE NUMBER

SDWA	Safe Drinking Water Act	
<u>SPCC</u>	Spill Prevention and Control Countermeasure	
<u>SPDES</u>	State Pollutant Discharge Elimination System; a state limiting municipal and industrial dischargers.	administered permit
<u>STP</u>	Sewage Treatment Plant	
<u>TCB</u>	Trichlorobenzene	
TCDD	Tetrachlorodiebenzo-p-dioxins	
TCDF	Tetrachlorodibenzofurans	
<u>TDS</u>	Total Dissolved Solids	
TKN	Total Kjeldahl Nitrogen	
TOC	Total Organic Carbon	
TOTAL DDT	Sum of DDT isomers and metabolites	
TTBEL	Treatment Technology-Based Effluent Limitation	
UGLCCS	Upper Great Lakes Connecting Channels Study	
U.S.EPA	United States Environmental Protection Agency	
<u>WHO</u>	World Health Organization	
<u>WPCP</u>	Water Pollution Control Plant	
WQBEL	Water Quality Based Effluent limits	
WQS	Water Quality Standards	
WRC	Water Resources Commission	
<u>WTP</u>	Water Treatment Plant (for drinking water)	
WWTP	Waste Water Treatment Plan	

-22-

Water Pollution

COURSE NAME

BIO 123-3

COURSE NUMBER

TERMINOLOGY

ABSORPTION Penetration of one substance into the body of another.

ACCLIMATION Physiological and behavioural adjustments of an organism in response to a change in environment. See also Adaptation.

ACCIMATIZATION Acclimation of a particular species over several generation in response to marked environmental changes.

ACCUMULATION Storage and concentration of a chemical in tissue to an amount higher than intake of the chemical. May also apply to the storage and concentration of a chemical in aquatic sediments to levels above those that are present in the water column.

<u>ACUTE</u> Involving a stimulus severe enough to rapidly induce a response; in bioassay tests, a response observed within 96 hours is typically considered an acute one.

ACUTE TOXICITY Mortality that is produced within a short period of time, usually 24 to 96 hours.

ADAPTATION Change in the structure forms or habits of an organism to better fit changed or existing environmental conditions. See also Acclimation.

ADSORPTION The taking up of one substance at the surface of another.

<u>AEROBIC</u> The condition associated with the presence of free oxygen in the environment.

<u>ALGA(E)</u> Simple one celled or many celled micro-organisms, usually free floating, capable of carrying on photosynthesis in aquatic ecosystems.

ALGICIDE A specific chemical highly toxic to algae. Algicides are often applied to water to control nuisance algal blooms.

ALKALINITY A measurement of acid neutralization or buffering capability of a solution (See pH).

AMBIENT Pertaining to the existing/surrounding environment and its components.

COURSE NAME

BIO 123-3

COURSE NUMBER

AMBIENT WATERThe water column or surface water as opposed to groundwater or
sediments.AMPULESA sealed glass container of known concentration of a substance.

ANADROMOUS Species which migrate from salt water to fresh water to breed.

ANAEROBE An organism for whose life processes a complete or nearly complete absence of oxygen is essential.

ANOXIA The absence of oxygen necessary for sustaining most life. In aquatic ecosystems this refers to the absence of dissolved oxygen in water.

ANTAGONISM Reduction of the effect of one substance because of the introduction or presence of another substance; e.g. one substance may hinder, or counteract, the toxic influence of another. See also Synergism.

<u>APPLICATION</u> FACTOR A factor applied to a short-term or acute toxicity test to estimate a concentration of waste that would be safe in a receiving water.

Living in water.

ASSIMILATION

AQUATIC

The absorption, transfer and incorporation of substances (e.g. nutrients by and organism or ecosystem)

ASSIMILATIVE CAPACITY The ability of a waterbody to transform and/or incorporate substance (e.g. nutrients) by the ecosystem, such that the water quality does not degrade below a predetermined level.

BENTHIC

Of or living on or in the bottom of a water body; benthic region, benthos.

BENTHOS Bottom dwelling organisms, the benthos comprise: 1) sessile animals such as sponges, some the of the worms and many attached algae; 2) creeping forms such as snails and flatworms, and 3) burrowing forms which include most clams and worms, mayflies and midges.

BIOACCUMULATION

Uptake and retention of environmental substances by an organism from both its environment (i.e. directly from the water) and its food.

COURSE NAME

BIO 123-3

COURSE NUMBER

BIOASSAY

A determination of the concentration or dose of a given material necessary to affect a test organism under stated conditions.

BIOCONCENTRATION The ability of an organism to concentrate substances within its body at concentrations greater than in its surrounding environment or food.

<u>BIOCONCENTRATION</u> <u>FACTOR</u> The <u>ratio</u> of the measured residue within an organism compared to the residue of the substance in the ambient air, water or soil environment of the organism.

BIOLOGICAL MAGNIFICATION

BIOTA

<u>MAGNIFICATION</u> The concentration of a chemical up the food chain.

BIOMASS Total dry weight of all organisms in a given area or volume.

<u>BIOMONITORING</u> The use of organisms to test the toxic effects of substances in effluent discharges as well as the chronic toxicity of low level pollutants in the ambient aquatic environment.

Species of all the plants and animals occurring within a certain area or region.

CARCINOGEN Cancer causing chemicals or substances.

<u>CHIRONOMID</u> Any of a family of midges that lack piercing mouth parts.

<u>CHRONIC</u> Involving a stimulus that lingers or continues for a long period of time, often one/tenth of the life span or more.

<u>CHRONIC TOXICITY</u> Toxicity marked by a long duration, that produces an adverse effect on organisms. The end result of chronic toxicity can be death although the usual effects are sublethal; e.g. inhibits reproduction or growth. These effects are reflected by changes in the productivity and population structure of the community. See also Acute Toxicity.

<u>COMMUNITY</u> Group of populations of plants and animals in a given place; ecological unit used in a broad sense to include groups of various sizes and degrees of integration.

BIO 123-3

COURSE NUMBER

A member of the same taxonomic genus as another plant or animal: Also a different configuration or mixture of a specific chemical usually having radical groups attached in numerous potential locations.

A substance foreign to a natural system or present at unnatural concentrations.

The introduction of pathogenic or undesirable micro-organisms, toxic and other deleterious substances which renders potable water, air, soils, or biota unfit for use.

Enforceable orders in Ontario.

CONVENTIONAL POLLUTANT

DIRECTION ORDER

A term which includes nutrients, substances which pollutant consume oxygen upon decomposition, materials which produce an oily sludge deposit, and bacteria. Conventional pollutants include phosphorous, nitrogen, chemical oxygen demand, biochemical oxygen demand, oil and grease, volatile solids, and total and fecal coliform, chlorides, etc.

CRITERIA

Numerical limits of pollutants established to protect specific water uses.

CRITERION, WATER QUALITY

A designated concentration of a constituent based on scientific judgments, that, when not exceeded will protect an organism, a community or organisms, or a prescribed water use with an adequate degree of safety.

CRITICAL LEVEL

See Threshold.

CRITICAL RANGE

In <u>bioassays</u> the range of magnitude of any factor between the maximum level of concentration at which no organisms responds (frequently mortality) to the minimum level or concentration at which all organisms respond under a given set of conditions.

<u>CUMULATIVE</u> Brought about or increased in strength by successive additions.

CUMULATIVE ACTION

Increasingly severe effects due to either storage or concentration of a substance within the organism.

Water Pollution

COURSE NAME

CONGENER

tam sedie unineren

CONTAMINANT

CONTAMINATION

CONTROL ORDER/ REQUIREMENT AND

COURSE NAME

BIO 123-3

COURSE NUMBER

DENSITY

DIATOM

DETRITUS

Number of individuals in relation to the space.

-26-

A product of disintegration, defecation, destruction, or wearing away.

Any of a class of minute planktonic unicellular or colonial algae with silicified skeletons.

DIOXIN

A group of approximately 75 chemicals of the chlorinated dibenzodioxin family, including 2, 3, 7, 8 – tetrachlorodibenzo-para-dioxin (2, 3, 7, 8 – TCDD) which is generally considered the most toxic form.

DISSOLVED OXYGEN The amount of oxygen dissolved in water.

A waterway and the land area drained by it.

DRAINAGE BASIN

DREDGE SPOILS

The material removed from the river, lake, or harbor bottom during dredging operations.

DREDGING GUIDELINES

Procedural directions designed to minimize the adverse effects of shoreline and underwater excavation with primary emphasis on the concentrations of toxic materials within the dredge spoils.

The interacting complex of living organisms and their non-living environment; the biotic community and its abiotic environment.

Contaminated waters discharged from facilities to either wastewater

All the biotic and abiotic factors that actually affect an individual

ECOSYSTEM

EFFLUENT

ENVIRONMENT

organism at any point in its life cycle.

sewers or to surface waters.

EPHEMERAL

EPHEMERA

EPILIMNION

Invertebrates (mayflies) that live as adults only a very short time.

A plant that grows, flowers, and dies in a few days.

The warm, upper layer of water in a lake that occurs during summer stratification.

BIO 123-3

COURSE NUMBER

The wearing away and transportation of soils, rocks and dissolved minerals from the land surface, shorelines, or river bottom by rainfall, running water, wave and current action.

The process of nutrient enrichment that causes high productivity and EUTROPHICATION biomass in an aquatic ecosystem. Eutrophication can be a natural process so it can be a cultural process accelerated by an increase of nutrient loading to a waterbody by human activity.

Species that are not native to the Great Lakes and have been EXOTIC SPECIES intentionally or inadvertently introduced into the system.

> Exhibiting a broad life-style which allows it to survive under a broad range of environmental conditions.

The process by which organisms in higher trophic levels gain energy by consuming organisms at lower trophic levels; the dependence for food of organisms upon others in a series, beginning with plants and ending with the largest carnivores.

GOAL

An aim or objective towards which to strive; it may represent an ideal condition that is difficult, if not impossible to attain economically.

GREAT LAKES BASIN ECOSYSTEM

The interacting components of air, land, water and living organisms, including man, within the drainage basin of the St. Lawrence River at or upstream from the point at which this river becomes the international boundary between Canada and the United States (from article 1 of the 1978 GLWQ Agreement).

WATER QUALITY

AGREEMENT (GLWQA) A joint agreement between Canada and the United States which commits the two countries to develop and implement a plan to restore and maintain the many desirable uses of the waters in the Great Lakes Basin. Originally signed in 1978, the Agreement was amended in 1987.

Water Pollution

COURSE NAME

FACULTATIVE

FOODCHAIN

EROSION

GREAT LAKES

BIO 123-3

COURSE NUMBER

GROUNDWATER

Water Pollution

COURSE NAME

GUIDELINES

HALF-LIFE

Water entrained and flowing below the surface which may supply water to wells and springs.

Any suggestion or rule that guides or directs; i.e. suggested criteria for programs or effluent limitations.

The period of time in which a substance loses half of its active characteristics (used specifically in radiological work); the amount of time required for the concentration of a pollutant to decrease to half of the original value through natural decay or decomposition.

Chemicals considered to be a threat to man in the environment, including substances which (individually) or in combination with other substances) can cause death, disease (including cancer), behavioural abnormalities, genetic mutations, physiological malfunctions or physical deformities.

The natural cycle of water on earth, including precipitation as rain and snow, runoff form land, storage in groundwaters, lakes, streams, and oceans, and evaporation and transpiration (from plants) into the atmosphere to complete the cycle.

The cold, dense, lower layer of water in a lake that occurs during

for periods sufficiently long that acute lethal action has ceased.

HYPOLIMNION

ICHTHYOLOGY

INCIPIENT LC

INCIPIENT LETHAL LEVEL

That concentration of a contaminant beyond which an organism could no longer survive for an indefinite period of time.

The level of the toxicant which is lethal for 50% of individuals exposed

INSECTICIDE

Substances or a mixture of substances intended to prevent, destroy or repel insects.

LACUSTRINE Formed in, or growing in lakes.

-28-

HAZARDOUS SUBSTANCES

HYDROLOGIC CYCLE

summer stratification.

Synonymous with lethal threshold concentration.

A branch of zoology that deals with fishes.

Water Pollution		BIO 123-3	
COURSE NAME	COURSE .	COURSE NUMBER	
LEACHATE		suspended in water that percolate through solids astes and rock layers.	
<u>LETHAL</u>	Involving a stimulus of	or effect directly causing death.	
LIPOPHILIC	Having an affinity for	fats or other lipids.	
LITTORAL		ater zone of lakes, rivers or the seas, with light ttom; often occupied by rooted aquatic plants.	
LOADINGS	Total mass of polluta tones per year of pho	ant to a water body over a specified time; e.g. osphorus.	
MACROPHYTE		A member of the macroscopic plant life (i.e. larger than algae) especially of a body of water.	
MACROZOOBENTHO		nacrozoobenthos in an aquatic ecosystem is often the impacts of contamination on the system.	
MALIGNANT	Resistent to treatment	nt, occurring in severe form and frequently fatal.	
MASS BALANCE	contaminants enterin water quality. In a contaminant entering If inputs exceed outp levels are rising. Or a pollutant of concer simulated by mather	An approach to evaluating the sources, transport and fate of contaminants entering a water system, as well as their effects on water quality. In a mass balance budget, the amounts of a contaminant entering the system less the amount leaving the system. If inputs exceed outputs, pollutants are accumulating and contaminant levels are rising. Once a mass balance budget has been established fo a pollutant of concern, the long-term effects on water quality can be simulated by mathematical modelling and priorities can be set for research and remedial action.	
MUTAGEN		fect which alters genetic characteristics or produces e in the genetic material.	
MUTAGENICITY	The ability of a sub	stance to induce a detectable change in genetic	

The ability of a substance to induce a detectable change in genetic material which can be transmitted to progeny, or from one cell generation to another within an individual.

-

-30-

Water Pollution

COURSE NAME

BIO 123-3

COURSE NUMBER

---- -- --

<u>NONPOINT</u> SOURCE	Source of pollution in which pollutants are discharged over a widespread area or from a number of small inputs rather than from distinct, identifiable sources.
NUTRIENT	A chemical that is an essential raw material for the growth and development of organisms.
ORGANOCHLORINE	Chlorinated hydrocarbon pesticides.
PATHOGEN	A disease causing agent such as bacteria, viruses, and parasites.
PERIPHYTON	Organisms that live attached to underwater surfaces.
PERSISTENT TOXIC SUBSTANCES	Any toxic substance with a half-life in water and greater than eight weeks.
PESTICIDE	Any substance used to kill plants, insects, algae, fungi or other organisms; includes herbicides, insecticides, algicides, fungicides.
<u>PHENOLICS</u>	Any of a number of compounds with the basic structure of phenol but with substitutions made onto this structure. Phenolics are produced during the coking of coal, the distillation of wood, the operation of gas works and oil refineries, from human and animal wastes, and the microbiological decomposition of organic matter.
<u>PHOTOSYNTHESIS</u>	A process occurring in the cells of green plants and some micro-organisms in which solar energy is transformed into stored chemical energy.
PHYTOPHAGOUS	Feeding on plants.
<u>PHYTOPLANKTON</u>	Minute, microscopic aquatic vegetative life; plant portion of the plankton; the plant community in marine and freshwater situations which floats free in the water and contains many species of algae and diatoms.
POINT SOURCE	A source of pollution that is distinct and identifiable, such as an outfall pipe from an industrial plant.

-31-

Water Pollution

COURSE NAME

BIO 123-3

COURSE NUMBER

POLLUTION (WATER)

Anything causing or inducing objectional conditions in any watercourse and affecting adversely the environment and use or uses to which the water thereof may be put.

<u>POTABLE WATER</u> Water suitable, on the basis of both health and aesthetic considerations, for drinking or cooking purposes.

PRECAMBRIAN

The earliest era of geological history.

Any person, group, or organization.

PRIMARY TREATMENT

Mechanical removal of floating or settable solids from wastewater.

PUBLIC

RADIONUCLIDE A radioactive material.

RAPTORS

Birds of prey.

<u>RAW</u> <u>WATER</u> Surface or groundwater that is available as a source of drinking water, but has not received any treatment.

Living or located on the bank of a natural watercourse.

RESUSPENSION (of sed

(of sediment) The remixing of sediment particles and pollutants back into the water by storms, currents, organisms and human activities such as dredging.

RIPARIAN

SCAUP

A diving duck.

SECONDARY TREATMENT

Primary treatment plus bacterial action to remove organic parts of the waste.

SEDIMENT

SEICHE

An oscillation in water level form one and of a lake to enoth

The fines or soils on the bottom of the rive or lake.

An oscillation in water level form one end of a lake to another due to wind or atmospheric pressure. Most dramatic after an intense but local weather disturbance passes over one end of a large lake.

-32-

Water Pollution

COURSE NAME

BIO 123-3

COURSE NUMBER

SELENIUM

A nonmetallic element that chemically resembles sulfur and is obtained chiefly as a by-product in copper refining, and occurs in allotropic forms of which a gray stable form varies in electrical conductivity with the intensity of its illumination and is used in electronic devices.

<u>SESSILE</u> An animal that is attached to an object or is fixed in place (e.g. barnacles).

The solids removed from waste treatment facilities.

<u>SIGMOID</u> <u>CURVE</u> S-shaped curve (e.g. the logistic curve)

<u>SLUDGE</u>

STABILITY

<u>SOLUBILITY</u> Capability of being dissolved.

Absence of fluctuations in population; ability to withstand perturbations without large changes in composition.

<u>STRATIFICATION</u> (or layering) The tendency in deep lakes for distinct layers of water to form as a result of vertical change in temperature and therefore, in the density of water.

<u>SUBACUTE</u>

Involving a stimulus below the level that causes death.

SUBCHRONIC

Effects from short-term multiple dosage or exposure; usually means exposure for less than three months.

SUB-LETHAL

Involving a stimulus below the level that causes death.

SUSPENDED SEDIMENTS

Particulate matter suspended in water.

SYNERGISM

The joint action of two or more substances is greater than the sum of the action of each of the individual substances. The improvement in performance is achieved because two agents are working together. See also Antagonism.

COURSE NAME

SYNERGISTIC

SYNTHESIS

BIO 123-3

COURSE NUMBER

Interactions of two or more substances or organisms producing a result such that the total effect is greater than the sum of the individual effects.

The production of a substance by the union of elements or simpler compounds.

TAXA

A group of similar organisms.

TAXONOMICALLY To identify an organism by its structure.

TERATOGEN A substance that increases the incidence of birth defects.

<u>TERATOGENICITY</u> The ability of a substance to produce irreversible birth defects, or anatomical or functional disorders as a result of an effect on the developing embryo.

<u>THERMOCLINE</u> A layer of water in lakes separating cool hypolimnion (lower layer) from the warm epilimnion (surface layer).

<u>THRESHHOLD</u> The chemical concentration or dose that must be reached before a given reaction occurs.

<u>TOXIC SUBSTANCE</u> As defined in the Great Lakes Agreement, any substance that adversely affects the health or well being of any living organism.

TOXICITY

Quality, state or degree of the harmful effect resulting from alteration of an environmental factor.

<u>TRANSLOCATION</u> Movement of chemicals within a plant or animal; usually refers to systemic herbicides and insecticides that are moved from the point of contact on the plant to other regions of the plant.

TROPHIC ACCUMULATION

Passing of a substance through a food chain such that each organism retains all or a portion of the amount in its food and eventually acquires a higher concentration in its flesh than in its food. See also Biological Magnification.

<u>TROPHIC LEVEL</u> Functional classification of organisms in a community according to feeding relationships; the first trophic level includes green plants, the second level includes herbivores; etc.

-33-

-34-

Water Pollution

COURSE NAME

BIO 123-3

COURSE NUMBER

TROPHIC STATUS

A measure of the biological productivity in a body of water. Aquatic ecosystems are characterized as oligotrophic (low productivity), mesotrophic (medium productivity) or eutrophic (high productivity).

Of aquatic oligochaete or sludge worms which is tolerant to organically enriched waters.

TURBIDITY

TUBIFICID

Deficient in clarity of water.

WATER QUALITY OBJECTIVES

Under the Great Lakes Water Quality Agreement, goals set by the Governments of the United States Agreement, goals set by the Governments of the United States and Canada for protection of the uses of the Great Lakes.

WATER QUALITY STANDARD

A criterion or objective for a specific water use standard that is incorporated into enforceable regulations.

WIND SET-UP

A local rise in water levels caused by winds pushing water to one side of a lake. (See Seiche)

ZOOPLANKTON

Microscopic and near microscopic aquatic animals including protozoans, rotifers and crustaceans.

ystemic herbicides and itsecticides that are moved from the point of ontact on the plant to other regions of the plant.

retains all or a substance through a food chain such that each organism retains all or a portion of the amount in its food and eventually exquires a higher concentration in its flesh than in its food. See also Biological Mognification.

rundulonal classification of organisms in a community according to leading relationships; the first trophic level includes green plants, the second level includes herbivores; atc

COURSE NAME

BIO 123-3

COURSE NUMBER

ppm? ppb? ppt?

"Parts per million", "parts per billion", and even "parts per trillion" have gradually worked their way into commonly accepted usage as expressions of air and water pollutant measurements. But who, other than the experts, really knows what these terms mean? What are the terms of reference? How small is small?

Research chemists recently undertook the challenge of delineating some readily understandable terms of reference. The assignment clearly sparked the group's collective imagination, as the list of comparisons they produced shows.

One part per million:

- = one inch in 16 miles;
- = one minute in two years;
- = one ounce in 31 tons of potato chips;
- = one bad apple in 2,000 barrels.

One part per billion:

- = one inch in 16,000 miles;
- = one second in 32 years;
- a pinch of salt in 10 tons of potato chips;
- = one bad apple in 2 million barrels.

One part per trillion:

- one hairsbreadth (blond specified) in a trip around the world;
- = one second in 320 centuries;
- = one pinch of salt in 10,000 tons of potato chips;
- = a drop of vermouth in 250,000 hogsheads of gin; or, getting even more specific;
- one flea in 360 million elephants.

At what point are chemicals perceived? Table salt in water becomes somewhat unpalatable at one part per thousand; swimmers can detect chlorine in a pool at one part per million; and sensitive noses can detect the odour of fuel oil at one part per billion. One part per trillion of anything is not detectable without the use of advanced and costly analytical equipment.

COURSE NAME

BIO 123-3

COURSE NUMBER

COMMONLY USED TERMINOLOGY

Measurements & Units

Measurements & Units					
mg/l	=	milligram per litre	=	part per	million (ppm)
ug/l	=	microgram per litre	=	part per	billion (ppb)
ng/l		nanogram per litre	=	part per	trillion (ppt)
pg/l	=	picograms per litre	=	part per	quadrillion (ppq)
mg/kg	=	milligram per kilogram	=	part per	million (ppm)
ug/kg	=	microgram per kilogram	=	part per	billion (ppb)
ng/kg	=	nanogram per kilogram	=	part per	trillion (ppt)
L/d	=	litre per day			
m ³ /d	=	cubic metres per day			
kg/ann (kg/yr)	=	kilograms per year			
t/ann (kg/yr)	=	tonnes per year			
uS/cm	=	microsiemens per centimetre	(con	ductivity)	
mgd	=	millions of gallons per day			
cfs cfs		cubic feet per second			
					At what perifit are cher one part per thousand construe noses can det

-36-